


Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	145	obtain\$4 same data with legacy with (computer system terminal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 11:42
L2	1013	(receiv\$4 communicat\$4 obtain\$4 extract\$4) same data with legacy with (computer system terminal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 11:41
L3	764	(access\$4 obtain\$4) same data with legacy with (computer system terminal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 11:42
L8	2	3 and stor\$4 with screen with (identifier name id) and configuration near5 (file data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 11:50
L9	224	3 and configuration near5 (file data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 11:53
L10	190	3 and configuration near2 (file data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 11:50
L12	5	10 and column and row and screen near2 field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 11:52
L13	18	(identify\$4 determin\$4) and (obtain\$4 access\$4) with data and legacy near3 (computer "3270" IBM) and column and row and screen near2 field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 12:01
L14	5	13 and configuration near5 (file data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 12:02
L15	36	(identify\$4 determin\$4) and (obtain\$4 access\$4) with data and legacy near3 (computer "3270" IBM application) and column and row and screen near2 field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 12:02

L16	10	15 and configuration near5 (file data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 12:03
L17	16315	715/744,854,778,780,806, 513;709/231,310;717/109;707/104.1, 2-4,102.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 12:05
L18	58	17 and legacy near5 application and configuration near4 (file data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 12:05
L22	0	19 and (prior before) with (access\$4 map\$4 obtain\$4) same stor\$4 with screen with (field same configuration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 12:11
L23	0	19 and (prior before) with (access\$4 map\$4 obtain\$4) same stor\$4 with screen same configuration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 12:11



Web Results 1 - 10 of about 33,700 for "configuration file" mapping OR accessing OR obtaining legacy application screen c

MVCSoft JDO Toolkit

... In other words, if a **legacy application** updates the table, ... They are Basic Info, DB **Column Configuration**, and **Mapping Transformation**. ...

www.mvcsoft.com/jdotoolkit/documentation/gui.htm - 121k - [Cached](#) - [Similar pages](#)

SimoVIEW - Mainframe Screen Conversion to HTML

... of the mainframe **screen** presentation services from either Basic **Mapping** ... If the mainframe program is sensitive and/or dependent to sending a **screen** ...

www.simotime.com/simoview.htm - 89k - [Cached](#) - [Similar pages](#)

General Preferences

... If you are using **Mercury Application Management** to administer monitor ...

This option will add an extra **column** to each monitor group table labeled Ack. ...

demo.freshwater.com/SiteScope/docs/GenPref.htm - 25k - [Cached](#) - [Similar pages](#)

Siebel

... List **column** or control == applet == View == **screen** == **application** ...

Primary key – a **column** that uniquely identifies each **row** in a table, named **ROW_ID** ...

www.selectorweb.com/siebel.html - 44k - [Cached](#) - [Similar pages](#)

siebel_learn

... Sorting by a **column** - select a **column** and press a button on the toolbar. ...

Predefined queries (by Sys.admin for each **screen**) **Application** ...

www.selectorweb.com/siebel_learn.html - 32k - [Cached](#) - [Similar pages](#)

The Express route to Web application development

... Set the cursor in the third **row**, first **column** of the table, ... deploy and

run it on **WebSphere Application Server - Express** **accessing** **DB2 UDB Express**. ...

www.ibm.com/developerworks/db2/library/techarticle/dm-0405lim/ - 83k - [Cached](#) - [Similar pages](#)

General Preferences

... This option will add an extra **column** to each monitor group table labeled Ack.

... Groups per **Row**: Enter the number of top-level monitor groups should be ...

<https://schist.und.nodak.edu:8899/> SiteScope/docs/GenPref.htm - 11k - [Cached](#) - [Similar pages](#)

[PDF] THALIA: Test Harness for the Assessment of Legacy Information ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... **configuration file** specifies which fields TESS should. extract; beginning and ending points for ... tag for each **column** in a **row** and select the **column's** ...

www.cise.ufl.edu/tech_reports/tr05/tr05-001.pdf - [Similar pages](#)

[PDF] Naurtech TE and Web browser Smart Clients

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... **Screen** Panning allows an additional **row** and **column** on the display ... We provide a seamless migration path for **accessing** the legacy green **screen** and the ...

www.psionteklogix.com/assets/downloadable/manuals/Naurtech_TE_SmartClient_UsersManual_5_0.pdf - [Similar pages](#)

CETerm Help

... setting fixed **screen** mode, reporting the IP address, exiting the program, ...


start its top left edge at the specified **row** and **column** position. Contents ...

www.naurtech.com/ceterm.htm - 71k - [Cached](#) - [Similar pages](#)

Gooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)



[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google